

Date Received: 05/18/2021
Date Reported: 06/15/2021
Customer: Phresh Waters LLC
Address: 12142 1/2 Woodruff Ave, Downey, CA 90242
Attention: Edgar Zuniga
Sample I.D.: Purified w/Added Minerals
Sample Point: 12142 1/2 Woodruff Ave Downey CA 90241
Sampled By: Edgar Zuniga
Date & Time Sampled: 05/18/2021 09:50

WAL No.: 21050147

DW

P450

Flag	Parameter	Value	Unit	Reporting Limit	Method	Date Analyzed & Analyst
	Total Dissolved Solids	38	mg/L	10	SM 2540C	05/19/2021 AP
	Bicarbonate	7	mg/L	5	SM 2320B	05/20/2021 RRM
OLW	Calcium	<0.5	mg/L	0.5	EPA 200.7	05/26/2021 OL
OLW	Zinc	82	ug/L	50	EPA 200.7	05/26/2021 OL
OLW	Magnesium	0.919	mg/L	0.5	EPA 200.7	05/26/2021 OL
OLW	Potassium	0.52	mg/L	0.5	EPA 200.7	05/26/2021 OL
OLW	Sodium	17	mg/L	1	EPA 200.7	05/26/2021 OL

COD

LAM

Date Received: 05/18/2021
Date Reported: 06/15/2021
Customer: Phresh Waters LLC
Address: 12142 1/2 Woodruff Ave, Downey, CA 90242
Attention: Edgar Zuniga
Sample I.D.: Purified w/Added Minerals
Sample Point: 12142 1/2 Woodruff Ave, Downey, CA 90242
Sampled By: Edgar Zuniga
Date & Time Sampled: 05/18/2021 09:50

WAL No.: 21050147

524.2

P450

Flag	Parameter	Value	Unit	Reporting Limit	Method	Date Analyzed & Analyst
OLW	Volatile Organics				EPA 524.2	05/28/2021 OL
OLW	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1,1-Trichloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1,2-Trichloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1-Dichloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1-Dichloroethene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,1-Dichloropropene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,2,3-Trichlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,2,4-Trimethylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,2-Dichloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,2-Dichloropropane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,3,5-Trimethylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,3-Dichloropropane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	1,3-Dichloropropene, Total	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	2,2-Dichloropropane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	2-Butanone	<5	ug/L	5	EPA 524.2	05/28/2021 OL
OLW	2-Chlorotoluene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	2-Hexanone	<5	ug/L	5	EPA 524.2	05/28/2021 OL
OLW	4-Chlorotoluene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	4-Methyl-2-pentanone	<5	ug/L	5	EPA 524.2	05/28/2021 OL
OLW	Benzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Bromobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Bromochloromethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Bromodichloromethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Bromoform	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Bromomethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Carbon tetrachloride	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Chlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL

LAM

Date Received: 05/18/2021 **WAL No.:** 21050147
Date Reported: 06/15/2021
Customer: Phresh Waters LLC 524.2
Address: 12142 1/2 Woodruff Ave, Downey, CA 90242
Attention: Edgar Zuniga P450
Sample I.D.: Purified w/Added Minerals
Sample Point: 12142 1/2 Woodruff Ave, Downey, CA 90242
Sampled By: Edgar Zuniga
Date & Time Sampled: 05/18/2021 09:50

Flag	Parameter	Value	Unit	Reporting Limit	Method	Date Analyzed & Analyst
OLW	Volatile Organics				EPA 524.2	05/28/2021 OL
OLW	Chloroethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Chloroform	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Chloromethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Dibromochloromethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Dibromomethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Dichlorodifluoromethane (Freon12)	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Di-isopropyl ether	<2	ug/L	2	EPA 524.2	05/28/2021 OL
OLW	Ethyl tert-butyl ether	<2	ug/L	2	EPA 524.2	05/28/2021 OL
OLW	Ethylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Freon 113	<5	ug/L	5	EPA 524.2	05/28/2021 OL
OLW	Hexachlorobutadiene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Isopropylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	m,p-Xylene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	m-Dichlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Methyl tert-butyl ether (MTBE)	<2	ug/L	2	EPA 524.2	05/28/2021 OL
OLW	Methylene chloride	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Naphthalene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	n-Butylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	n-Propylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	o-Dichlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	o-Xylene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	p-Dichlorobenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	p-Isopropyltoluene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	sec-Butylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Styrene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Tert-amyl methyl ether	<2	ug/L	2	EPA 524.2	05/28/2021 OL
OLW	tert-Butylbenzene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL

Date Received: 05/18/2021 **WAL No.:** 21050147
Date Reported: 06/15/2021
Customer: Phresh Waters LLC 524.2
Address: 12142 1/2 Woodruff Ave, Downey, CA 90242
Attention: Edgar Zuniga P450
Sample I.D.: Purified w/Added Minerals
Sample Point: 12142 1/2 Woodruff Ave, Downey, CA 90242
Sampled By: Edgar Zuniga
Date & Time Sampled: 05/18/2021 09:50

Flag	Parameter	Value	Unit	Reporting Limit	Method	Date Analyzed & Analyst
OLW	Volatile Organics				EPA 524.2	05/28/2021 OL
OLW	Tetrachloroethene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	THMs, Total	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Toluene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Trichloroethene	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Trichlorofluoromethane	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Vinyl chloride	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL
OLW	Xylenes, Total	<0.5	ug/L	0.5	EPA 524.2	05/28/2021 OL

Flag	Definition
4C	Parameter is composite result of four grab samples.
4F	Parameter result of four grab samples analyzed in field.
B	Analyte was present in an associated method blank
BB	Dilution water blank exceeds 0.20 mg/L.
BD	Depletion <2 mg/L.
BG	Glucose-glutamic acid check falls outside limits.
BT	Test replicates show more than 30% difference between high and low values. Sample toxicity is possible. Best result was reported.
C	Result provided by client.
D1	Duplicate was not within control limits. The sample concentration was less than ten times the reporting limit.
D2	Duplicate was not within control limits due to non-homogeneous nature of sample.
D3	Duplicate was not within control limits.
DC	Peaks in diesel range but chromatogram does not match that of diesel standard.
F	Field result.
GA	Parameter analyzed using grab sample at end of sampling period.
L	The laboratory control sample (LCS) was out of control limits. The sample data was reported without further clarification.
L1	LCS was not within control limits. The MS or MSD met LCS limits which validated the batch.
MDO	Minimum DO is less than 1.0 mg/L. Result may be higher.
MS	Matrix spike was not within control limits due to possible matrix interference.
MS1	Matrix spike was not within control limits due to possible matrix interference. LCS was acceptable.
MS2	The analyte concentration in the sample exceeded the spike level by a factor of four or greater, spike recovery and limits do not apply
NE	Non-accredited result.
OLA	Parameter analyzed by Enthalpy Analytical, Inc. ELAP certification 1338. CSDLAC Lab ID 10105. A copy of their report is included.
OLC	Parameter analyzed by Eurofins Calscience. NELAP certification 03220CA. CSDLAC Lab ID 10109. A copy of their report is included.
OLE	Parameter analyzed by Enviro-Chem, Inc. ELAP certification 1555. CSDLAC Lab ID 10200. A copy of their report is included.
OLW	Parameter analyzed by Weck Laboratories, Inc. ELAP certification 1132. CSDLAC Lab ID 10143. A copy of their report is included.
P1	Sample was received without proper preservation.
RH	Value is higher than the calibration range.
RI	Sample was not received on ice or refrigerated.
RLI	RL raised due to matrix interference.
RT	Temperature of sample upon receipt was outside of acceptable range.
RW	Final reweighs greater than 0.5 mg or 4%.
T1	Temperature during analysis was out of acceptable limits.
TA	Sample was analyzed past the holding time.
TAR	Sample was analyzed past the holding time. Parameter was resampled or reanalysis.
TB	Sample analysis was requested and analyzed past hold time.
TL	Sample was analyzed past the holding time due to late date received.
TP	Reanalysis was reported past hold time. The original analysis was within hold time, but not reportable.
TR	Sample was analyzed ASAP but was received and analyzed past the holding time.